



mahindra
ROXOR HDUV



A



B



A. ROXLINER™ floorboard and cargo bed adds maximum durability and enables easy cleanup.

B. Bed and side rail tie-downs secures your cargo over rough terrain.

AN **INDESTRUCTIBLE** STEEL BODY. NOTHING INFERIOR HERE.

Mahindra engineers the official tractor of tough. Now, we've used the same engineering and materials to build the world's toughest side-by-side. At 3/4-ton industry-leading payload, no other UTV can endure the abuse or environments we put the ROXOR's heavy-gauge steel frame and body through. And when you factor in a 55-hp Turbo Diesel engine, you have a vehicle that can go anywhere. **WE DARE YOU TO COMPARE.**

C. New farm-tough 55-hp Turbo Diesel Engine with 5-speed manual transmission and 2-speed 4x4 transfer case.

**Tier 4 certified with 0% regen.
NO DEF required.**



C

D. Stow your valuables using our lockable driver and passenger underseat storage.

E. Our cabs come with defrost, heat and air conditioning for those long, miserable days.

F. Hard shell cab with side mirrors and removable soft doors shown with aftermarket LED light bar.



Shown in Limited Edition Green

HARSH WEATHER IS A BREEZE FOR ROXOR. BUT FOR PASSENGERS, WE'VE ADDED A COMFORT CAB.

Our cabs include air conditioning and heat so you can get out and stay out all day comfortably. We also added windshield wipers, window-defrost, halogen headlights, and new low-profile LED taillights to **TAKE ON EVERY ENVIRONMENT.**



G. New (optional) lockable pintle hitch with receiver is ideal for heavy-duty off-road towing jobs.

H. Our heavy-duty suspension increases payload to 3/4 ton without sacrificing ride comfort and handling.

ROXOR HDUV

ROXOR HDUV
Base Model



ROXOR HDUV
All-Weather Model



	BASE	ALL-WEATHER
DIMENSIONS & CAPACITIES		
Wheelbase	96 in / 244 cm	
Base Curb Weight ¹	3075 lb / 1395 kg	3415 lb / 1549 kg
Length	144 in / 366 cm	
Width (No Mirrors)	60.7 in / 154 cm	
Width (w/ Side Mirrors Closed)	NA	64 in / 163 cm
Height	75 in / 191 cm	77 in / 196 cm
Ground Clearance	9 in / 22.86 cm	
Fuel Capacity	16 gal / 60.5 L	
Payload Capacity ²	NEW! 1525 lb / 692 kg	1185 lb / 538 kg
GVWR	4600 lb / 2087 kg	
Towing Capacity	3500 lb / 1588 kg @ 15 mph	
Seating Capacity	2	

	NEW! ENGINE
Type	Four-stroke, Turbocharged, Direct-Injection, Water Cooled Diesel Engine
Number Of Cylinders	4
Displacement	2730cc (2.7 L / 165 in ³)
Bore & Stroke	88.9 x 110.0 mm
Engine	55 hp @ 2300 RPM (Max 2700 RPM)
Torque	144 ft lb @ 1400 RPM
Compression Ratio	18.7 : 1
Cooling System	Liquid
Fuel System	Mahindra Common Rail Diesel (mCRD)

DRIVETRAIN	
Transmission	5-speed manual
Transfer Case	2-speed manual with 2.41 : 1
Driveline	2WD / 4WD
Front Axle	Full Floating w/ 5.38 : 1 Gear Ratio
Rear Axle	Semi Floating w/ 5.38 : 1 Gear Ratio

CHASSIS & SUSPENSION		
Chassis Type	Boxed Steel Frame	
Front Suspension	NEW!	HD Leaf Spring w/ Shock Absorbers & Stabilizer Bar
Rear Suspension	NEW!	HD Leaf Spring w/ Shock Absorbers
Tires	235 / 70R16 All-Terrain	
Wheels	16 x 7-in Painted Steel	16 x 7-in Polished & Painted Aluminum



Limited Edition

	BASE	ALL-WEATHER
SAFETY		
Protection	Roll-Over Protection System (ROPS)	
Seat Belts	(2) 3-point	
Brakes	Hydraulic Power	
Parking Brake	Mechanical	
Front Brakes	11 in Disc / 27.94 cm	
Rear Brakes	11 in Drum / 27.94 cm	

PERFORMANCE	
Max Speed	52 mph / 84 kmph
Max Towing Speed	15 mph / 24 kmph
Max Flat Towing Speed ³	55 mph / 88 kmph

CONVENIENCES		
Steering	Hydraulic Assist	
Storage	(2) lockable underseat boxes	
Interior Floor	ROXLINER™	
Cargo Bed	ROXLINER™	
Cargo Area Tie Downs	8 Side Rail, 2 Floor	
Cab Enclosure	NA	Composite
Climate Control (Heat & AC)	NA	Standard
Windshield	NA	Polycarbonate
Wipers	NA	Dual
Pintle Hitch	NEW! NA	Optional Rear
Bumper	Painted Steel	Powdered-coated HD
ROXPOWER™ (Patented)	NA	Standard

ELECTRICAL	
Battery	12V AGM
Alternator	90A
Power Outlet	NEW! 12-volt
Instrumentation	Digital Cluster
Headlights	NEW! Halogen
Taillights	Low-Profile LED

OTHER INFO	
Final Assembly	USA
Warranty ⁴	2-Year Limited Warranty

1. Base curb weight as configured from factory with diesel fuel and fluids. No dealer accessories included.
2. Varies based on accessories and configuration.
3. Flat towing only with aftermarket locking hub kit.
4. See Operator's Guide for complete details.

Mahindra USA, Inc
9020 Jackrabbit Road
Houston TX 77095
(877) 449-7771

ROXOROFFROAD.COM

Mahindra USA, Inc. reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were made to verify the information contained in it. Some items shown may be optional and some machinery shown may not be available at all dealers. Mahindra disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety, and product information, consult your local Mahindra dealer and the product operation manual. Engine power (hp/kw) and other specifications are based on various standards and best practices. This brochure is intended for the United States and its territories only. For more information visit our website.

LEARN MORE



04/14/2024